



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

PO8031



ADULT AMBULATORY INFUSION ORDER

**Antibiotic Therapy**

(Aminoglycosides, Daptomycin, & Glycopeptides)

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

Page 1 of 4

Patient Identification

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE**

Weight: \_\_\_\_\_ kg      Height: \_\_\_\_\_ cm

Allergies: \_\_\_\_\_

Diagnosis Code: \_\_\_\_\_

Treatment Start Date: \_\_\_\_\_ Patient to follow up with provider on date: \_\_\_\_\_

**\*\*This plan will expire after 365 days at which time a new order will need to be placed\*\***

**GUIDELINES FOR ORDERING**

1. Send **FACE SHEET and H&P or most recent chart note**.
2. Monitor drug levels and adjust dose as necessary.
  - a. DAPTOmycin: draw Creatine Phosphokinase (CPK) - Plasma, Weekly. Monitor CPK more frequently in patients with recent prior or concomitant therapy with an HMG -CoA reductase inhibitor, unexplained CPK increases, or renal impairment
  - b. Vancomycin: draw trough level just before the 4<sup>th</sup> dose and once weekly.
  - c. Aminoglycosides: For daily dosing, draw random level 12 hours after the start of infusion and once weekly. For every 8-12 hour dosing, draw peak and trough weekly. Troughs are drawn just before the dose and peaks are drawn 30 minutes after the end of the dose.

**NURSING ORDERS:**

1. Follow facility policies and/or protocols for vascular access maintenance with appropriate flush solution, declotting (alteplase), and/or dressing changes.

**Aminoglycosides:**

**LABS:**

- CBC with differential, every \_\_\_\_\_ (visit)(days)(weeks)(months) – Circle One
- CMP, every \_\_\_\_\_ (visit)(days)(weeks)(months) – Circle One
- Urine Dipstick w/o micro (10 dip), weekly during therapy**

**Daily dosing**

- Random \_\_\_\_\_ level, 12 hours post-dose, weekly during therapy**

**Traditional dosing**

- Peak \_\_\_\_\_ level, weekly during therapy**
- Trough \_\_\_\_\_ level, weekly during therapy**
- Labs already drawn. Date: \_\_\_\_\_

**MEDICATION:**

- amikacin \_\_\_\_\_ mg/kg = \_\_\_\_\_ mg in sodium chloride 0.9% 100 mL IV, over 30-60 minutes
- gentamicin \_\_\_\_\_ mg/kg = \_\_\_\_\_ mg in sodium chloride 0.9% 100 mL IV, over 30-60 minutes
- tobramycin \_\_\_\_\_ mg/kg = \_\_\_\_\_ mg in sodium chloride 0.9% 100 mL IV, over 20-60 minutes

**Interval: (must check one)**

- ONCE
- Daily x \_\_\_\_\_ doses
- Every \_\_\_\_\_ days x \_\_\_\_\_ doses



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

OHSU  
Health

ADULT AMBULATORY INFUSION ORDER  
**Antibiotic Therapy**  
(Aminoglycosides, Daptomycin, & Glycopeptides)

Page 2 of 4

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

*Patient Identification*

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE**

**DAPTOmycin:**

**LABS:**

- CBC with differential, every \_\_\_\_\_ (visit)(days)(weeks)(months) – Circle One
- CMP, every \_\_\_\_\_ (visit)(days)(weeks)(months) – Circle One
- CK, PLASMA, ONCE prior to therapy**
- CK, PLASMA, weekly during therapy**
- Labs already drawn. Date: \_\_\_\_\_

**MEDICATION:**

- DAPTOmycin \_\_\_\_\_ mg/kg = \_\_\_\_\_ mg in sodium chloride 0.9% 50 mL IV, over 30 minutes

**Interval: (must check one)**

- ONCE
- Daily x \_\_\_\_\_ doses
- Every \_\_\_\_\_ days x \_\_\_\_\_ doses

**Dalbavancin:**

**LABS:**

- CBC with differential, every \_\_\_\_\_ (visit)(days)(weeks)(months) – Circle One
- CMP, every \_\_\_\_\_ (visit)(days)(weeks)(months) – Circle One
- C-reactive protein, every \_\_\_\_\_ (visit)(days)(weeks)(months) – Circle One
- Labs already drawn. Date: \_\_\_\_\_

**MEDICATION:**

- Single dose regimen**

dalbavancin (DALVANCE) **1500 mg** in dextrose 5%, intravenous, ONCE, over 30 minutes  
**Interval: ONCE**

- Two-dose regimen**

dalbavancin (DALVANCE) **1000 mg** in dextrose 5%, intravenous, ONCE, over 30 minutes  
**Interval: ONCE**  
&

dalbavancin (DALVANCE) **500 mg** in dextrose 5%, intravenous, ONCE, over 30 minutes  
**Interval: ONCE, 7 days after initial dose**

- Other**

dalbavancin (DALVANCE) \_\_\_\_\_ mg in dextrose 5%, intravenous, ONCE, over 30 minutes  
**Interval: \_\_\_\_\_**



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

OHSU  
Health

ADULT AMBULATORY INFUSION ORDER  
**Antibiotic Therapy**  
(Aminoglycosides, Daptomycin, & Glycopeptides)

Page 3 of 4

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

*Patient Identification*

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE**

**Vancomycin:**

**LABS:**

- CBC with differential, every \_\_\_\_\_ (visit)(days)(weeks)(months) – Circle One
- CMP, every \_\_\_\_\_ (visit)(days)(weeks)(months) – Circle One
- Vancomycin trough, weekly during therapy (first level prior to 4th dose)**
- Labs already drawn. Date: \_\_\_\_\_

**MEDICATION:**

- vancomycin 750 mg in sodium chloride 0.9% 150 mL IV
- vancomycin 1000 mg in sodium chloride 0.9% 250 mL IV
- vancomycin 1250 mg in sodium chloride 0.9% 250 mL IV
- vancomycin 1500 mg in sodium chloride 0.9% 300 mL IV
- vancomycin 25 mg/kg/day in sodium chloride 0.9% IV, ONCE over 24 hours, continuous infusion via CADD (OHSU only)
- vancomycin 30 mg/kg/day in sodium chloride 0.9% IV, ONCE over 24 hours, continuous infusion via CADD (OHSU only)

Infuse doses up to 1000 mg over at least 60 minutes and doses greater than 1000 mg over 120 minutes. Infusion rate not to exceed 17 mg/min

**Interval: (must check one)**

- ONCE
- Daily x \_\_\_\_\_ doses
- Every \_\_\_\_\_ days x \_\_\_\_\_ doses

**FOR InfuSystem™ AMBULATORY PUMP USE (OHSU only; hook up at infusion location):**

**Duration:**

- \_\_\_\_\_ days

**HYPERSENSITIVITY MEDICATIONS:**

1. NURSING COMMUNICATION – If hypersensitivity or infusion reactions develop, temporarily hold the infusion and notify provider immediately. Administer emergency medications per the Treatment Algorithm for Acute Infusion Reaction (OHSU HC-PAT-133-GUD, HMC C-132). Refer to algorithm for symptom monitoring and continuously assess as grade of severity may progress.
2. diphenhydrAMINE (BENADRYL) injection, 25-50 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
3. EPINEPHrine HCl (ADRENALIN) injection, 0.3 mg, intramuscular, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
4. hydrocortisone sodium succinate (SOLU-CORTEF) injection, 100 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
5. famotidine (PEPCID) injection, 20 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

OHSU  
Health

ADULT AMBULATORY INFUSION ORDER  
**Antibiotic Therapy**  
(Aminoglycosides, Daptomycin, & Glycopeptides)

Page 4 of 4

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

*Patient Identification*

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE**

**By signing below, I represent the following:**

I am responsible for the care of the patient (*who is identified at the top of this form*);

I hold an active, unrestricted license to practice medicine in:  Oregon  \_\_\_\_\_ (*check box that corresponds with state where you provide care to patient and where you are currently licensed. Specify state if not Oregon*);

**My physician license Number is # \_\_\_\_\_ (MUST BE COMPLETED TO BE A VALID PRESCRIPTION);** and I am acting within my scope of practice and authorized by law to order Infusion of the medication described above for the patient identified on this form.

**Provider signature:** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Printed Name:** \_\_\_\_\_ **Phone:** \_\_\_\_\_ **Fax:** \_\_\_\_\_

**Please check the appropriate box for the patient's preferred clinic location:**

**Hillsboro Medical Center**  
Infusion Services  
364 SE 8th Ave, Medical Plaza Suite 108B  
Hillsboro, OR 97123  
Phone number: (503) 681-4124  
Fax number: (503) 681-4120

**Adventist Health Portland**  
Infusion Services  
10123 SE Market St  
Portland, OR 97216  
Phone number: (503) 261-6631  
Fax number: (503) 261-6756

**Mid-Columbia Medical Center**  
**Celilo Cancer Center**  
1800 E 19th St  
The Dalles, OR 97058  
Phone number: (541) 296-7585  
Fax number: (541) 296-7610