



ADULT AMBULATORY INFUSION ORDER
Blood Transfusion Orders

Page 1 of 5

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( ✓ ) TO BE ACTIVE. Weight: \_\_\_\_kg Height: \_\_\_\_cm Allergies: Diagnosis Code: Treatment Start Date: Patient to follow up with provider on date: \*\*This plan will expire after 365 days at which time a new order will need to be placed\*\* **GUIDELINES FOR ORDERING** 1. Send FACE SHEET and H&P or most recent chart note. 2. For Adventist patients: PARQ: Required (initials): "I have discussed the risks versus benefits of blood products designated below, as well as the risks and alternatives, with the patient/surrogate; they understand and agree to transfusion therapy 3. The Transfusion Blood Consent form must be completed annually. 4. To order blood transfusion products both an INFUSION PLAN and an ORDER PANEL must be ordered: a. INFUSION PLAN: "Blood Transfusion": includes pre-medications and treatment parameters b. ORDER PANEL: "CHO Blood Transfusion Orders": blood products and orders to transfuse 5. All patients automatically receive pre-storage leukodepleted, CMV safe red cell and platelet products. If irradiated is needed, please order under special needs section below. LABS: ☐ CBC with differential, Routine, ONCE, every (visit)(days)(weeks)(months) – Circle One ☐ Platelet count, whole blood, Routine, AS NEEDED, 1 hour post-platelet count if on Platelet Refractory Protocol ☐ Platelet count, whole blood, Routine, ONCE ☐ Type & Screen, Routine, ONCE ☐ Labs already drawn. Date: \_\_\_\_\_



ADULT AMBULATORY INFUSION ORDER

#### **Blood Transfusion Orders**

Page 2 of 5

ACCOUNT NO. MED. REC. NO. NAME

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( ✓ ) TO BE ACTIVE.

BIRTHDATE

NURSING ORDERS:						
VITAL SIGNS – Routine vital signs						
2. TREATMENT PARAMETERS – (Attention Providers, please assign appropriate parameters)						
a. Blood Transfusion:						
i. For Hemoglobin less than or equal to g/dL, transfuse units of						
packed red blood cells per OHSU transfusion policy (RBCs: 100 mL/hour x 15 minutes						
then increase to max rate 240 mL/hour for remainder of the unit if tolerated).						
OR						
ii. For Hematocrit less than or equal to %, transfuse units of packed red						
blood cells per OHSU transfusion policy (RBCs: 100 mL/hour x 15 minutes then increase						
to max rate 240 mL/hour for remainder of the unit if tolerated).						
b. Platelet Transfusion: For Platelet count less than or equal to, transfuse units						
pheresis platelet product.						
3. Review previous hemoglobin & hematocrit. If results not acceptable to blood bank due to internal dating						
policies, order CBC.						
<ol> <li>Follow facility policies and/or protocols for vascular access maintenance with appropriate flush solution.</li> </ol>						
declotting (alteplase), and/or dressing changes						
decidating (anoptase), and/or dressing orlanges						
PRE-MEDICATIONS: (Administer 30 minutes prior to infusion)						
Note to provider: Please select which medications below, if any, you would like the patient to receive						
prior to treatment by checking the appropriate box(s)						
□ acetaminophen (TYLENOL) tablet, 650 mg, oral, ONCE, every visit						
☐ diphenhydrAMINE (BENADRYL) capsule, 50 mg, oral, ONCE, every visit.						
Give either loratadine or diphenhydrAMINE, not both.						
☐ Ioratadine (CLARITIN) 10 mg tablet, oral, ONCE AS NEEDED if diphenhydrAMINE is not given,						
every visit. Give either loratadine or diphenhydrAMINE, not both.						
Give either loratadine or diphenhydrAMINE, not both.						
BLOOD PRODUCT(S): (Ordered using ORDER PANEL):						
Packed Red Blood Cells (See below for special needs)						
Amount						
□ units □ mL						
o Duration						
hours/unit						
□ mL/hour						
<ul> <li>Interval</li> </ul>						
☐ ONCE (appointment date:)						
☐ Every days for treatments. Begin on date:						
<ul> <li>Patient consented for transfusion, and documentation in med record?</li> </ul>						
☐ Yes (fax consent to applicable infusion clinic)						
□ No						



ADULT AMBULATORY INFUSION ORDER

#### **Blood Transfusion Orders**

Page 3 of 5

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

### ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( ✓ ) TO BE ACTIVE.

•	Pheresis Platelets (See below for special needs)					
	<ul> <li>Matched</li> </ul>					
		☐ HLA Matched				
		☐ Crossmatched				
	0	Amount				
		□ units				
		mL				
	0	Duration hours				
	0	Interval				
	· ·	□ ONCE (appointment date:)				
		□ Every days for treatments. Begin on date:				
	0	Patient consented for transfusion, and documentation in med record?				
	O	☐ Yes (fax consent to applicable infusion clinic)				
		□ No				
_						
•	<b></b>	a Diagram (Can halaw fan angaigh nag da)				
•		n Plasma (See below for special needs)				
	0	Amount				
		☐ units ☐ mL Duration hours				
	0	Duration nours				
	0	Interval				
		ONCE (appointment date:)				
		□ Every days for treatments. Begin on date:				
	0	Patient consented for transfusion, and documentation in med record?				
		☐ Yes (fax consent to applicable infusion clinic)				
		□ No				
•	Cryop	recipitate Pool (See below for special needs)				
	0	Amount pools (NOTE: 1 pool = 5 units. Usual adult dose = 2 pools)				
	0	Duration hours				
	0	Interval				
		□ ONCE (appointment date:)				
		☐ Every days for treatments. Begin on date:				
	0	Patient consented for transfusion, and documentation in med record?				
		☐ Yes (fax consent to applicable infusion clinic)				
		□ No				
•	Specia	al Needs				
	· 🗆	CMV REDUCED RISK (may use Leukoreduced or CMV seronegative)				
		CMV SERONEGATIVE				
		DIRECTED DONOR				
		IRRADIATED				
		LEUKOREDUCED				
		WASHED				
		PHENOTYPE MATCHED (rarely indicated)				
		OTHER				
	ш					



ADULT AMBULATORY INFUSION ORDER

### **Blood Transfusion Orders**

Page 4 of 5

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( ✓ ) TO BE ACTIVE.

ROUT	INE MEDICATIONS:			
	furosemide (LASIX) mg IV, ONCI	E (after the firs	t unit of blood produ	ct)
1. 2. 3. 4. 5.	RSENSITIVITY MEDICATIONS:  NURSING COMMUNICATION – If hyperse infusion and notify provider immediately. As Algorithm for Acute Infusion Reaction (OHS symptom monitoring and continuously assediphenhydrAMINE (BENADRYL) injection, hypersensitivity or infusion reaction EPINEPHrine HCI (ADRENALIN) injection, hypersensitivity or infusion reaction hydrocortisone sodium succinate (SOLU-C dose for hypersensitivity or infusion reaction famotidine (PEPCID) injection, 20 mg, intrainfusion reaction sodium chloride 0.9% bolus, 1000 mL, intrafor hypersensitivity or infusion reaction	dminister emer SU HC-PAT-13 ess as grade of 25-50 mg, intra 0.3 mg, intram CORTEF) inject n avenous, AS NI	gency medications p i3-GUD, HMC C-132 severity may progre avenous, AS NEEDE nuscular, AS NEEDE ion, 100 mg, intravel	Der the Treatment 2). Refer to algorithm for ess. ED x 1 dose for ED x 1 dose for nous, AS NEEDED x 1 hypersensitivity or
I am re I hold a that co	Ining below, I represent the following: esponsible for the care of the patient (who is an active, unrestricted license to practice meaning provide care for not Oregon);	edicine in: 🗆 (	Oregon □	
PRES	ysician license Number is #	e of practice ar	nd authorized by law	o to order Infusion of the
	ider signature:			
Printo	ed Name:	Pnone:	F	Fax:



### ADULT AMBULATORY INFUSION ORDER Blood Transfusion Orders

Page 5 of 5

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( ✓ ) TO BE ACTIVE.

#### Please check the appropriate box for the patient's preferred clinic location:

☐ Hillsboro Medical Center

Infusion Services 364 SE 8th Ave, Medical Plaza Suite 108B Hillsboro, OR 97123

Phone number: (503) 681-4124 Fax number: (503) 681-4120

☐ Mid-Columbia Medical Center

Celilo Cancer Center 1800 E 19th St The Dalles, OR 97058

Phone number: (541) 296-7585 Fax number: (541) 296-7610 ☐ Adventist Health Portland

Infusion Services 10123 SE Market St Portland, OR 97216

Phone number: (503) 261-6631 Fax number: (503) 261-6756